



SKYLIFT

**Mini-ARBORIST
SUPER 53**



**Ph. 440-960-2100
Fax 440-960-2104
www.skyliftus.com**



***Double
Insulated
Boom!***





**Look!
53 Feet!**



TECHNICAL SPECIFICATIONS



Mini-Arborist SUPER 53

INSULATED BOOM: VERSALIFT VST-52I

- End Mounted 24 x 30 x 42 Inch Platform (300 lb Capacity)
- Full Pressure Controls on Side of Platform
- ISO Control 3-D Single Stick
- Open Center Hydraulic System
- Category "C" Rating Per ANSI A92.2
- Lower Controls Above Rotation
- Continuous Rotation
- Lower Controls Override Upper Controls
- Rotating Platform
- Hydraulic Tool Circuit At Platform
- Bottom of Platform Height 48 ft.
- Working Height 53 ft.
- Horizontal Reach 30 ft.

CHASSIS: SKYLIFT MINI-ARBORIST

- 35 Inches Wide (Fits Through Standard Gates)
- Extendable Rubber Tracks)
- 32 HP Diesel Engine (Electric Start)
- 20 Gallon Fuel Cell
- Full Proportional Hydraulic Controls
- All Hydraulic Direct Motor Drive
- Outrigger / Boom Interlock
- Radial Outriggers
- Hydraulic Oil Cooler
- 18,000 GVW Trailer

OPTIONS

- 12V DC Emergency Power
- Basket Rotation 180 Degrees